

| ردیف | نام تست | نوع و مقدار نمونه | روزهای انجام | روشهای نگهداری | نحوه ارسال | قیمت (ریال) | قیمت با افزایش ۵ % |
|------|------------------------------|----------------------|----------------|------------------------------------|------------------|-----------------|--------------------|
| 1 | Anti Aquaporin(Anti NMO) | Serum, 1.0cc | روزهای زوج | >15 at -20°c | 2-8°c,-20°c | 882,400 | 926,520 |
| 2 | Anti-MOG | Serum, 1.0cc | روزهای زوج | >7d at -20°c | 2-8°c,-20°c | 26,422,880 | 26,422,880 |
| 3 | Anti GAD | Serum, 1.0cc | فقط پیکشنبه | >7d at -20°c | 2-8°c,-20°c | 1,452,100 | 1,524,705 |
| 4 | Anti-Islet cell | Serum, 1.0cc | روزهای زوج | >7d at -20°c | 2-8°c,-20°c | 1,117,000 | 1,172,850 |
| 5 | Cyclosporine | Blood EDTA, | دوبار در هفته | >7d at -20°c | 2-8°c | 349,400 | 366,870 |
| 6 | Anti Ganglioside (Profile) | Serum, 1.0cc | سه شنبه | >7d at -20°c | 2-8°c,-20°c | 871,300 | 914,865 |
| 7 | Desmoglein 1,3 | Serum, 1.0cc | روزهای زوج | >7d at -20°c | 2-8°c,-20°c | 536,200 | 563,010 |
| 8 | Tacrolimus | Blood EDTA, | دوبار در هفته | >7d at -20°c | 2-8°c | 721,600 | 757,680 |
| 9 | Anti Musk | Serum, 1.5cc | روزهای زوج | >7d at -20°c | 2-8°c,-20°c | 1,447,600 | 1,519,980 |
| 10 | Anti Striated muscle | Serum, 1.5cc | روزهای زوج | >7d at -20°c | 2-8°c,-20°c | 871,300 | 914,865 |
| 11 | P1NP-ECL | Serum, 1.5cc | سه بار در هفته | >7d at -20°c | 2-8°c,-20°c | 1,125,900 | 1,182,195 |
| 12 | Adrenaline | 1.5cc EDTA Plasma | 25 روز یکبار | 7d at 2-8°c & پلاسما سریعاً جدا | 2-8°c,-20°c | 636,700 | 668,535 |
| 13 | Noradrenaline | 1.5cc EDTA Plasma | 25 روز یکبار | 7d at 2-8°c & پلاسما سریعاً جدا | 2-8°c,-20°c | 636,700 | 668,535 |
| 14 | (2,5,7,8,9,10,11,12,13,) vW- | Plasma | دو شنبه | >7d at -20°c | 2-8°c | هر کدام ۵۱۰,۸۰۰ | 536,340 |
| 15 | AchR | Serum, 1.0cc | شنبه- سه شنبه | >7d at -20°c | 2-8°c,-20°c | 2,795,500 | 2,935,275 |
| 16 | Beta Crosslaps-ECL | Plasma | روزانه | >7d at -20°c | 2-8°c,-20°c | 497,500 | 522,375 |
| 17 | Osteocalcin-ECL | Plasma | روزانه | >7d at -20°c | 2-8°c,-20°c | 497,500 | 522,375 |
| 18 | iFOB Quantitative | Stool | روزانه | >7d at -20°c | 2-8°c | 670,200 | 703,710 |
| 19 | Leptospira,G-M | Serum, 1.5cc | دوشنبه | >7d at -20°c | 2-8°c,-20°c | 398,800 | 418,740 |
| 20 | NSE-ECL | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 1,017,000 | 1,067,850 |
| 21 | Myositis Panel | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 1,452,100 | 1,524,705 |
| 22 | IGRA | با هماهنگی | فقط پنجشنبه | ابلاغ شده | مطابق دستورالعمل | 3,418,000 | 3,588,900 |
| 23 | Cyfra-21-ECL | Serum, 1.5cc | دوبار در هفته | >7d at -20°c | 2-8°c,-20°c | 351,500 | 369,075 |
| 24 | Procalcitonin-ECL | Serum, 1.5cc | روزانه | >15d at -20°c | 2-8°c,-20°c | 1,264,700 | 1,327,935 |

| | | | | | | | |
|----|---|--------------|------------------|----------------------------|-------------|-----------|-----------|
| 25 | Galactomannan | Serum, 1.5cc | شنبه- سه شنبه | mon at -20°c | 2-8°c,-20°c | 3,228,100 | 3,389,505 |
| 26 | Leptin | Serum, 1.5cc | شنبه- سه شنبه | mon at -20°c | 2-8°c,-20°c | 1,302,700 | 1,367,835 |
| 27 | Anti-SLA | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 469,000 | 492,450 |
| 28 | Anti-SP100 | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 420,100 | 441,105 |
| 29 | Anti-GP210 | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 420,100 | 441,105 |
| 30 | Anti-DGP-A,G | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 420,100 | 441,105 |
| 31 | Parvovirus (B19) Ab-IgG,M | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 428,900 | 450,345 |
| 32 | Interleukin 6 (IL6) | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 320,100 | 336,105 |
| 33 | Inhibin B | Serum, 1.5cc | یکشنبه- چهارشنبه | >7d at -20°c | 2-8°c,-20°c | 1,532,500 | 1,609,125 |
| 34 | Haptoglobin | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 248,800 | 261,240 |
| | Anti-Phospholipase A2 Receptor(PLA2R) | Serum, 1.5cc | یکبار در هفته | 7d at 2-8°c & >7d at -20°c | 2-8°c,-20°c | 1,206,400 | 1,266,720 |
| 35 | Beta(1 - Amyloid -42) | 1cc CSF | یکبار در هفته | >7d at -20°c | 2-8°c,-20°c | 2,238,500 | - |
| 36 | Fecal Entamoeba Histolitica Ag | Stool | دوبار در هفته | >7d at -20°c | 2-8°c,-20°c | 592,000 | 2,350,425 |
| 37 | Anti-NAb | Serum, 1.5cc | دو شنبه | -20°c | -20°c | 2,010,600 | 621,600 |
| 38 | Anti-TSH Receptor | Serum, 1.5cc | دوبار در هفته | >7d at -20°c | 2-8°c,-20°c | 1,005,300 | 2,111,130 |
| 39 | TNF-α | Serum, 1.5cc | روز یکبار 10 | 365 days at -20°c | 2-8°c,-20°c | 726,100 | 1,055,565 |
| 40 | Mumps Ab (IgG or IgM) | Serum, 1.5cc | روزانه | >14 at -20°c | 2-8°c,-20°c | 210,800 | 762,405 |
| | Androstandiol Glucuronide (3Alpha diol) | Serum, 1.5cc | دو هفته یکبار | -20°c | -20°c | 737,200 | 221,340 |
| 41 | HSV1 G,M & HSV2 G,M | Serum, 1.5cc | روزانه | >7d at -20°c | 2-8°c,-20°c | 235,500 | 774,060 |
| 42 | Tick-Borne Encephalitis Virus | Serum, 1.5cc | هفته ای یکبار | 2month at -20°c | 2-8°c,-20°c | 5,026,500 | - |
| 43 | West Nile Virus(Arbo Virus) | Serum, 1.5cc | هفته ای یکبار | 2month at -20°c | 2-8°c,-20°c | 5,026,500 | 247,275 |
| 44 | Japanese Encephalitis Virus | Serum, 1.5cc | هفته ای یکبار | 2month at -20°c | 2-8°c,-20°c | 5,026,500 | 5,277,825 |
| 45 | Yellow Fever virus | Serum, 1.5cc | هفته ای یکبار | 2month at -20°c | 2-8°c,-20°c | 5,026,500 | 5,277,825 |
| 46 | Dengue Virus | | | | | | 5,277,825 |
| 47 | Dengue Virus Types-2 | | | | | | - |

| | | | | | | | |
|-----|----------------------------------|-----------------|---------------|-------------------|-------------|-----------------|------------|
| 92 | Streptococcal-dnase b) | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 1,351,600 | 1,419,180 |
| 93 | equivalent test) | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 1,139,300 | 1,196,265 |
| 94 | Analysis·Blood | Blood | سه هفته یکبار | frozen | 2-8°C,-20°C | 8,377,500 | 8,796,375 |
| 95 | Zika Virus Antibody(IgG/IgM) | EDTA plasma | سه هفته یکبار | frozen | 2-8°C,-20°C | 3,239,300 | 3,401,265 |
| 96 | Zika Virus-PCR | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 10,611,500 | 11,142,075 |
| 97 | Campylobacter jejuni Antibody | Serum, 1.5cc | سه هفته یکبار | Ref:14d Froz:30 d | 2-8°C,-20°C | 2,010,600 | 2,111,130 |
| 98 | Nitrodiazepine | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 3,384,500 | 3,553,725 |
| 99 | α-Glucosidase | Blood Card | سه هفته یکبار | frozen | 2-8°C,-20°C | 1,898,900 | 1,993,845 |
| 100 | Vigabatrin (Sabril) | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 3,351,000 | 3,518,550 |
| 101 | Tau Protein (β2Transferrin) | 2cc CSF | سه هفته یکبار | frozen | 2-8°C,-20°C | 1,700,000 | 1,785,000 |
| 102 | Succinylacetone | Blood Card | سه هفته یکبار | frozen | 2-8°C,-20°C | 1,700,000 | 1,785,000 |
| 103 | Succinylacetone· Quantitative | Urine | سه هفته یکبار | frozen | 2-8°C,-20°C | 1,700,000 | 1,785,000 |
| 104 | Retinol Binding Protein | Serum, 1.5cc | سه هفته یکبار | Frozen 90 days | 2-8°C,-20°C | 1,800,000 | 1,890,000 |
| 105 | Trichinella Antibody IgG,IgM | Serum, 1.5cc | سه هفته یکبار | Frozen 5 days | 2-8°C,-20°C | 5,890,000 | 6,184,500 |
| 106 | Interferon α-Antibody | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 4,950,000 | 5,197,500 |
| 107 | Profile·Essential | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 4,000,000 | 4,200,000 |
| 108 | Zinc Protoporphyrin | EDTA BLOOD | سه هفته یکبار | frozen | 2-8°C,-20°C | 2,290,000 | 2,404,500 |
| 109 | DNA-Profile | EDTA BLOOD | سه هفته یکبار | frozen | 2-8°C,-20°C | 6,500,000 | 6,825,000 |
| 110 | Dopamine-β-Hydroxylase | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 2,930,000 | 3,076,500 |
| 111 | Clozapine | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 2,792,500 | 2,932,125 |
| 112 | Antigen | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 2,848,400 | 2,990,820 |
| 113 | Fibrosis) | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 2,278,700 | 2,392,635 |
| 114 | Human Placental Lactogen | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 2,848,400 | 2,990,820 |
| 115 | Beta-Hydroxybutyrate | Serum, 1.5cc | سه هفته یکبار | frozen | 2-8°C,-20°C | 2,848,400 | 2,990,820 |
| 116 | Serotonin | Urine24h, Serum | دو هفته | (preferred)21 | 2-8°C,-20°C | 2,054,000 | 2,156,700 |
| 117 | Anti-infliximab & infliximab | Serum, 1.5cc | ده روز | (preferred)14 | 2-8°C,-20°C | 2450000(هرکدام) | 2,572,500 |